

SAFETY DATA SHEET

B15 HEAVY DUTY TOILET DESCALER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : B15 Heavy Duty Toilet Descaler

Product no. : B15

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Cleaning product

of the substance or

mixture

Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet

Company and address : Orca Hygiene

Blackhouse Circle, Blackhouse Industrial Estate,

AB42 1BN Peterhead United Kingdom

Tel: +44 (0)1779 871945

E-mail : technical@orcahygiene.com

Revision : 10/11/2022

SDS Version : 1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)



Signal word : Danger



Hazard statement(s)

: Causes severe skin burns and eye damage. (H314)

Safety statement(s)

: General

Prevention
Wear eye protection/protective gloves. (P280)

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water . (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

Storage

-

Disposal

-

Hazardous substances

Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.

Additional labelling

: Not applicable.

2.3. Other hazards

Additional warnings

: This mixture/product does not contain any substances considered to meet the

criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sulphamic acid	CAS No.: 5329-14-6 EC No.: 226-218-8 UK-REACH: Index No.: 016-026-00-0	13-18%	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18- unsatd. alkyl) derivs.	EC No.: 620-540-6 Skin Corr. 1C, H314 Aquatic Acute 1, H4		Acute Tox. 4, H302 Skin Corr. 1C, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.



Other information

-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information : In the case of accident: Contact a doctor or casualty department – take the label or

this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms

persist. Never give an unconscious person water or other drink.

Inhalation : Upon breathing difficulties or irritation of the respiratory tract: Bring the person into

fresh air and stay with him/her.

Skin contact : Flush exposed area with water for a long time - at least 30 minutes. It may be

necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and

treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or

thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact : Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or

salt water (20-30°C) for at least 30 minutes and continue until irritation stops. Make

sure you flush under the upper and lower eyelids. Seek medical assistance

immediately and continue flushing during transport.

Ingestion : In the case of ingestion, contact a doctor immediately. If the person is conscious,

give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery

position. Call an ambulance.

Burns : Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics : Bring this safety data sheet or the label from this product.



SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Sulphur oxides

Nitrogen oxides (NO_x)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.



7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage

: Always store in containers of the same material as the original container.

material

Storage temperature : No specific requirements

Incompatible materials : Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.

Duration	Route of exposure	DNEL	
Long term – Systemic effects - Workers	Dermal	420 μg/kgbw/day	
Long term – Systemic effects - Workers	Inhalation	2.96 mg/m³	

sulphamic acid

Duration	Route of exposure	DNEL	
Long term – Systemic effects - Workers	Dermal	10 mg/kg bw/day	
Long term – Systemic effects - Workers	Inhalation	70.5 mg/m³	

PNEC

Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.

Route of exposure	Duration of Exposure	PNEC
Freshwater		214 ng/L
Freshwater sediment		1.692 mg/kg
Intermittent release (freshwater)		870 ng/L
Marine water		21.4 ng/L
Marine water sediment		169.2 μg/kg
Predators		2 mg/kg
Sewage treatment plant		1.5 mg/L



|--|

sulphamic acid

Route of exposure	Duration of Exposure	PNEC	
Freshwater		1.8 mg/L	
Freshwater sediment		8.36 mg/kg	
Intermittent release (freshwater)		480 μg/L	
Marine water		180 μg/L	
Marine water sediment		840 µg/kg	
Sewage treatment plant		20 mg/L	

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General

: Smoking, drinking and consumption of food is not allowed in the work area.

recommendations

Exposure scenarios : There are no exposure scenarios implemented for this product.

Exposure limits

: Occupational exposure limits have not been defined for the substances in this

product.

Appropriate technical

measures

: Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

: In between use of the product and at the end of the working day all exposed areas of

the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure : Keep damming materials near the workplace. If possible, collect spillage during

work.

8.3. Individual protection measures, such as personal protective equipment

Generally : Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

Respiratory Equipment

: No specific requirements

Skin protection

: No specific requirements.

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
4H	0,068 - 0,084	>480	EN374-2, EN374-3, EN388	



Eye protection

:

Туре	Standards	
Safety glasses	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Blue

Odour / Odour threshold : Characteristic

pH : 1-2

Density (g/cm³) : 1 (20 °C)

Kinematic viscosity : Testing not relevant or not possible due to the nature of the product.

Particle characteristics: Does not apply to liquids.

Phase changes

Melting point/Freezing

point (°C)

: Testing not relevant or not possible due to the nature of the product.

Softening point/range

(waxes and pastes) (°C)

: Does not apply to liquids.

Boiling point (°C) : Testing not relevant or not possible due to the nature of the product.

Vapour pressure : Testing not relevant or not possible due to the nature of the product.

Relative vapour density : Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

: Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C) : Testing not relevant or not possible due to the nature of the product.

Ignition (°C) : Testing not relevant or not possible due to the nature of the product.

Auto flammability (°C) : Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)

: Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water : Testing not relevant or not possible due to the nature of the product.

n-octanol/water coefficient

: Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L) : Testing not relevant or not possible due to the nature of the product.

9.2. Other information



Other physical and chemical parameters

: No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity : Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye

damage/irritation

: Causes serious eye damage.

Respiratory sensitisation : Based on available data, the classification criteria are not met.
 Skin sensitisation : Based on available data, the classification criteria are not met.
 Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Reproductive toxicity : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met. **Aspiration hazard** : Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects : Tissue-damaging effects: This product contains substances with skin corrosive

properties. Inhaled vapour or aerosols may produce adverse effects to lungs, - irritations and burns in the respiratory organs -as well as coughing. Dermal contact

B15 Heavy Duty Toilet Descaler

Page 8 of 12



and contact with the eye cause irreversible effects.

Endocrine disrupting

properties

: None known.

Other information : None known.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.



SECTION 14: Transport information

	14.1 UN /	14.2 UN proper shipping	14.3 Hazard	14.4	14.5	Other
	ID	name	class(es)	PG*	Env**	information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for

: Restricted to professional users.

application

People under the age of 18 shall not be exposed to this product.

Demands for specific

education

: No specific requirements.

SEVESO - Categories / dangerous substances

: Not applicable.

Additional information

: Not applicable.

Sources

: The Management of Health and Safety at Work Regulations 1999.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and

amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation

and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

^{**} Environmental hazards



Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound



vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

CW28722

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en