

## **SAFETY DATA SHEET**

# **G20 RELIANCE UNIVERSAL HEAVY DUTY CLEANER**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name : G20 Reliance Universal Heavy Duty Cleaner

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Cleaning product

of the substance or

mixture

cicaring product

**Uses advised against**: None known.

## 1.3. Details of the supplier of the safety data sheet

Company and address : Orca Hygiene

Blackhouse Circle, Blackhouse Industrial Estate,

AB42 1BN Peterhead United Kingdom

Tel: +44 (0)1779 871945

**E-mail** : technical@orcahygiene.com

**Revision** : 06/10/2022

SDS Version : 1.0

#### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

#### 2.2. Label elements

Hazard pictogram(s)



Signal word : Danger

**Hazard statement(s)** : Causes severe skin burns and eye damage. (H314)

Safety statement(s) : General



-

Prevention

Wear eye protection/protective gloves. (P280) Wash hands thoroughly after handling. (P264)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water . (P303+P361+P353)

If skin irritation occurs: Get medical advice/attention. (P332+P313)

Storage

-

Disposal

-

**Hazardous substances** : sodium hydroxide;caustic soda

Isotridecanol, ethoxylated

Additional labelling

: Not applicable.

2.3. Other hazards

**Additional warnings** : This mixture/product does not contain any substances considered to meet the

criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-butoxyethanol;2- butoxyethanol; ethylene glycol monobutyl ether;ethylene glycol monobutyl ether;butyl cellosolve	CAS No.: 111-76-2 EC No.: 203-905-0 UK-REACH: Index No.: 603-014-00-0	1-10%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
sodium hydroxide;caustic soda	CAS No.: 1310-73-2 EC No.: 215-185-5 UK-REACH: Index No.: 011-002-00-6	1-10%	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318	



Isotridecanol, ethoxylated	CAS No.: 9043-30-5 EC No.: 500-027-2 UK-REACH: Index No.:	1-10%	Acute Tox. 4, H302 Eye Dam. 1, H318	
β-Alanine, N-(2- carboxyethyl)-, N-coco alkyl derivs., disodium salts	CAS No.: 90170-43-7 EC No.: 290-476-8 UK-REACH: Index No.:	1-10%	Eye Irrit. 2, H319	

----

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[1] European occupational exposure limit.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

4. I. Descii	יט ווטווע	III St alu	iiicasui es

**General information** : In the case of accident: Contact a doctor or casualty department – take the label or

this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms

persist. Never give an unconscious person water or other drink.

**Inhalation** : Upon breathing difficulties or irritation of the respiratory tract: Bring the person into

fresh air and stay with him/her.

**Skin contact** : Flush exposed area with water for a long time - at least 30 minutes. It may be

necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and

treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or

thinners.

If skin irritation occurs: Get medical advice/attention.

**Eye contact**: Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes

with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance

and continue flushing during transport.

**Ingestion** : In the case of ingestion, contact a doctor immediately. If the person is conscious,

give them water. DO NOT try to induce vomiting unless this is recommended by a



doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

**Burns** : Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

**Information to medics**: Bring this safety data sheet or the label from this product.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO<sub>x</sub>)

Carbon oxides (CO / CO2)

Some metal oxides

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

#### 6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and



place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage

material

: Always store in containers of the same material as the original container.

Storage temperature

: No specific requirements

**Incompatible materials**: Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### **DNEL**

sodium hydroxide; caustic soda

Duration	Route of exposure	DNEL
Long term – Local effects - General population	Inhalation	1 mg/m³
Long term – Local effects - Workers	Inhalation	1 mg/m³

β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts

Duration	Route of exposure	DNEL	
Long term – Systemic effects - Workers	Dermal	2.67 mg/kg bw/day	
Long term – Systemic effects - Workers	Inhalation	980 mg/m³	



#### **PNEC**

β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts

Route of exposure	Duration of Exposure	PNEC
Freshwater		100 μg/L
Intermittent release (freshwater)		100 μg/L
Marine water		10 μg/L
Sewage treatment plant		300 μg/L

#### 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General : Smoking, drinking and

recommendations

: Smoking, drinking and consumption of food is not allowed in the work area.

**Exposure scenarios** 

: There are no exposure scenarios implemented for this product.

**Exposure limits** 

: Occupational exposure limits have not been defined for the substances in this

product.

**Appropriate technical** 

measures

: Apply standard precautions during use of the product. Avoid inhalation of vapours.

**Hygiene measures** 

: In between use of the product and at the end of the working day all exposed areas of  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left$ 

the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid

environmental exposure

: Keep damming materials near the workplace. If possible, collect spillage during

work.

#### Individual protection measures, such as personal protective equipment

**Generally** : Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

Respiratory Equipment :

: No specific requirements

Skin protection

: No specific requirements.

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves			EN374	

**Eye protection** : No specific requirements.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties



Physical state : Liquid
Colour : Blue

Odour / Odour threshold : Characteristic

**pH** : 13.4

**Density (g/cm³)** : Testing not relevant or not possible due to the nature of the product.

Relative density : 1 (20 °C)

**Kinematic viscosity** : Testing not relevant or not possible due to the nature of the product.

**Particle characteristics**: Does not apply to liquids.

**Phase changes** 

Melting point/Freezing point (°C)

: Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

: Does not apply to liquids.

Boiling point (°C) : 100

Vapour pressure: Testing not relevant or not possible due to the nature of the product.Relative vapour density: Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

: Testing not relevant or not possible due to the nature of the product.

#### Data on fire and explosion hazards

Flash point (°C) : Testing not relevant or not possible due to the nature of the product.

**Ignition (°C)** : Testing not relevant or not possible due to the nature of the product.

**Auto flammability (°C)** : Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)

: Testing not relevant or not possible due to the nature of the product.

Solubility

**Solubility in water** : Testing not relevant or not possible due to the nature of the product.

n-octanol/water coefficient

: Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

: Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Other physical and chemical parameters

: No data available.

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available.



#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

#### **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

**Acute toxicity** : Based on available data, the classification criteria are not met.

**Skin corrosion/irritation**: Causes severe skin burns and eye damage.

Serious eye : (

damage/irritation

: Causes serious eye damage.

**Respiratory sensitisation**: Based on available data, the classification criteria are not met.

Skin sensitisation : Based on available data, the classification criteria are not met.Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

**Reproductive toxicity** : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

**STOT-repeated exposure**: Based on available data, the classification criteria are not met.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

Long term effects : None known.

Endocrine disrupting : None known.

properties

**Other information** : None known.

#### SECTION 12: Ecological information

# 12.1. Toxicity



Product/substance	sodium hydroxide;caustic soda
Test method	OECD 203
Species	Fish, Gambusia affinis
Compartment	
Duration	96 hours
Test	LC50
Result	125 mg/L
Other information	
Product/substance	sodium hydroxide;caustic soda
Test method	OECD 203
Species	Fish, Oncorhynchus mykiss
Compartment	
Duration	96 hours
Test	LC50
Result	45.5 mg/L
Other information	
Product/substance	sodium hydroxide;caustic soda
Test method	OECD 202
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	EC50
Result	40-240 mg/L
Other information	

# 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

Product/substance	sodium hydroxide;caustic soda
Test method	
Potential	No
bioaccumulation	
LogPow	No data available.
BCF	No data available.
Other information	

#### 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.



#### 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects

None known.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### **EWC** code

Not applicable.

#### **Specific labelling**

Not applicable.

#### **Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

#### **SECTION 14: Transport information**

	14.1 UN /	14.2 UN proper shipping	14.3 Hazard	14.4	14.5	Other information
	ID	name	class(es)	PG*	Env**	
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

<sup>\*</sup> Packing group

#### **Additional information**

Not dangerous goods according to ADR, IATA and IMDG.

## 14.6. Special precautions for user

Not applicable.

# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

<sup>\*\*</sup> Environmental hazards



#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

: Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to

eliminate exposure, must be considered.

Demands for specific

education

: No specific requirements.

SEVESO - Categories / dangerous substances

: Not applicable.

**Additional information** 

: Not applicable.

**Sources** 

: The Management of Health and Safety at Work Regulations 1999.

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and

amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation

and Restriction of Chemicals (REACH) as retained and amended in UK law.

#### 15.2. Chemical safety assessment

No

#### **SECTION 16: Other information**

#### Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne



CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### **Additional information**

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## The safety data sheet is validated by

CW28722

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety



data sheet cannot be used as a product specification.

Country-language: GB-en